

All Breeds with Points of Concerns (By Breed Group)

The objective of the Kennel Club is to promote, in every way, the general improvement of dogs. We believe that every dog should have the opportunity to lead a healthy, happy life and our 'Fit For Function: Fit For Life' campaign aims to encourage breeders, judges and all dog lovers to take the necessary steps to ensure that this happens, and to act as a reminder that a dog's health and welfare should be the most important consideration in any decisions made.

Breed Watch serves as an 'early warning system' to identify points of concern for individual breeds. Its primary purpose is to enable anyone involved in the world of dogs, but in particular dog show Judges, to find out about any breed specific conformational issues which may lead to health problems. These conditions are known as a 'point(s) of concern'. All Breeds form part of Breed Watch and fall into one of the following categories.

Category key/legend text:

- 1 – Breeds with no current points of concern reported
- 2 – Breeds with Breed Watch points of concern
- 3 - Breeds where some dogs have visible conditions or exaggerations that can cause pain or discomfort (previously known as High Profile)

The way in which the Kennel Club monitors the health of pedigree dogs has been enhanced through the expansion of the role of Breed Watch (Flow diagram refers). As part of this work, all Judges at Championship Shows have the opportunity to report on any visible conditions or exaggerations that they consider to be detrimental to the health and welfare of dogs.

The Kennel Club considers that Judges, Exhibitors and Breeders all need to support breed health improvements with the aim of creating a happy healthy future for dogs.

The following information provides a summary of the Breed Watch points of concern for Category 2 & Category 3 breeds.

Particular points of concern for individual breeds may include features not specifically highlighted in the breed standard including current issues. In some breeds, features may be listed which, if exaggerated, might potentially affect the breed in the future.

Prior to 2014 the features listed below derived from a combination of health surveys, veterinary advice, a meeting of Kennel Club Group judges, feedback from judges at shows or consultation with individual breed club(s)/councils via the breed health coordinators.

From 2014 the structure of Breed Watch allows for a greater involvement by judges in the reporting on and monitoring of the points of concern.

Gundog

Gordon Setter

Category 2

Excessive hind angulation

Excessively thick woolly coat

Overlong hip to hock

Sickle hock

Retriever (Golden)

Category 2

Legs too short in proportion to depth of body and to length of back

Significantly overweight

Retriever (Labrador)

Category 2

Legs too short in proportion to depth of body and to length of back

Significantly overweight

Spaniel (American Cocker)

Category 2

Excessively prominent eyes

Incorrect bite

Small teeth

New - 23/01/2020

Spaniel (Clumber)

Category 2

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Obvious ear irritation

Overweight

Weak hindquarters

Hound

Basset Hound

Category 2

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present). Handlers should be discouraged from pulling skin forward over head and eyes.

Excessive length of ears

Hair loss or scarring from previous dermatitis

Inadequate ground clearance – overly deep body and/or presence of excessive skin

Incorrect bite

Significantly overweight

Signs of dermatitis in skin folds

Bloodhound

Category 3

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Excessive skin on head or body. Handlers should be discouraged from pulling skin forward over head and eyes.

Hair loss or scarring from previous dermatitis

Nervous temperament

Signs of dermatitis in skin folds

Weak hindquarters

Borzoï

Category 2

Misplaced lower canine teeth

Overly narrow lower jaw

Dachshund (Long Haired)

Category 2

Incorrect hindquarter/ unsound movement

New - 23/01/2020

Sore eyes or excessive tearing

New - 23/01/2020

Dachshund (Miniature Long Haired)

Category 2

Incorrect hindquarter/ unsound movement

New - 23/01/2020

Significantly underweight

New - 23/01/2020

Sore eyes or excessive tearing

New - 23/01/2020

Dachshund (Miniature Smooth Haired)

Category 2

Incorrect hindquarter/ unsound movement	New - 23/01/2020
Significantly underweight	New - 23/01/2020
Sore eyes or excessive tearing	New - 23/01/2020

Dachshund (Miniature Wire Haired)

Category 2

Incorrect hindquarter/ unsound movement	New - 23/01/2020
Significantly underweight	New - 23/01/2020
Sore eyes or excessive tearing	New - 23/01/2020

Dachshund (Smooth Haired)

Category 2

Incorrect hindquarter/ unsound movement	New - 23/01/2020
Sore eyes or excessive tearing	New - 23/01/2020

Dachshund (Wire Haired)

Category 2

Incorrect hindquarter/ unsound movement	New - 23/01/2020
Sore eyes or excessive tearing	New - 23/01/2020

Irish Wolfhound

Category 2

Misplaced lower canine teeth	
------------------------------	--

Pastoral

Collie (Rough)

Category 2

Cow hocks

Excessively small eyes

Incorrect dentition

Overly narrow lower jaw

Weak hindquarters

German Shepherd Dog

Category 3

Cow hocks

Excessive turn of stifle

Nervous temperament

Sickle hock

Weak hindquarters

Maremma Sheepdog

Category 2

Nervous temperament

New - 23/01/2020

Old English Sheepdog

Category 2

Cow hocks

Excessively long coat

Excessively profuse coat

Weak hind movement

Pyrenean Mountain Dog

Category 2

Significantly overweight

Unstable hocks

Weak hindquarters

Shetland Sheepdog

Category 2

Excessively small eyes

Misplaced upper canine teeth

Terrier

Bedlington Terrier

Category 2

Cracked and corny pads

Bull Terrier

Category 2

Misplaced lower canine teeth

Bull Terrier (Miniature)

Category 2

Misplaced lower canine teeth

Cesky Terrier

Category 2

Incorrect dentition

Irish Terrier

Category 2

Cracked and corny pads

Norwich Terrier

Category 2

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Staffordshire Bull Terrier

Category 2

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Misplaced lower canine teeth

West Highland White Terrier

Category 2

Misplaced lower canine teeth

Skin irritation

Toy

Cavalier King Charles Spaniel

Category 2

Sore eyes or excessive tearing	New - 23/01/2020
Unsound movement	New - 23/01/2020
Weak hindquarters	New - 23/01/2020

Chihuahua (Long Coat)

Category 2

Excessively short muzzle	New - 23/01/2020
Incorrect bite	New - 23/01/2020
Misplaced teeth	New - 23/01/2020
Missing teeth	New - 23/01/2020
Protruding tongue as a result of incorrect teeth	New - 23/01/2020
Retained puppy teeth	New - 23/01/2020
Wry jaw	New - 23/01/2020

Chihuahua (Smooth Coat)

Category 2

Excessively short muzzle	New - 23/01/2020
Incorrect bite	New - 23/01/2020
Missing teeth	New - 23/01/2020
Protruding tongue as a result of incorrect teeth	New - 23/01/2020
Retained puppy teeth	New - 23/01/2020
Wry jaw	New - 23/01/2020

Chinese Crested

Category 2

Clipper rash or burns caused by shaving	
Nervous temperament	New - 23/01/2020

Griffon Bruxellois

Category 2

Irregular hind movement	New - 23/01/2020
-------------------------	------------------

King Charles Spaniel

Category 2

Prominent eyes	New - 23/01/2020
Weak hindquarters	New - 23/01/2020

Pekingese

Category 3

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Excessive coat

Excessive nasal folds

Excessively prominent eyes

Heavy overnose wrinkle (roll)

Pinched nostrils

Poor muscle tone

Uncomfortable eyes due to damage or poor eyelid conformation

Weak hindquarters

Pomeranian

Category 2

In mature dogs, 18 months and over, the fontanelle should be fully closed

Pug

Category 3

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Excessive nasal folds

Excessively prominent eyes

Hair loss or scarring from previous dermatitis

Incomplete blink

Pinched nostrils

Significantly overweight

Signs of dermatitis in skin folds

Sore eyes due to damage or poor eyelid conformation

Unsound movement

Utility

Boston Terrier

Category 2

Irregular hind movement

New - 23/01/2020

Lack of tail, screw tail, inverted tail and tight tail

New - 23/01/2020

Bulldog

Category 3

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Hair loss or scarring from previous dermatitis

Heavy overnose wrinkle (roll)

Inverted tail

Lack of tail

Pinched nostrils

Significantly overweight

Sore eyes due to damage or poor eyelid conformation

Tight tail

Unsound movement

Chow Chow

Category 2

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Excessive coat

Narrow eyelid opening

Small, deep set eyes with consequent eyelid abnormalities (e.g. the eyelids are turned in)

Unstable hocks

French Bulldog

Category 2

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Exaggerated roach in the top line

Hair loss or scarring from previous dermatitis

Incorrect bite

Lack of tail, screw tail, inverted tail and tight tail

Pinched nostrils

Prominent eyes

Screw tail

Short neck

Signs of dermatitis in skin folds

German Spitz (Klein)

Category 2

Sore eyes or excessive tearing

New - 23/01/2020

German Spitz (Mittel)

Category 2

Sore eyes or excessive tearing

New - 23/01/2020

Keeshond

Category 2

Excessively long coat

Shar Pei

Category 2

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Hair loss or scarring from previous dermatitis

Lower lip folding over lower incisors (tight lip)

Signs of dermatitis in skin folds

Working

Boxer

Category 2

Pinched nostrils New - 23/01/2020

Bullmastiff

Category 2

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose e.g. they turn in, or out, or both abnormalities are present New - 23/01/2020

Dogue de Bordeaux

Category 3

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Grossly undershot Jaw

Hair loss or scarring from previous dermatitis

Nervous temperament

Significantly overweight

Significantly underweight

Signs of dermatitis in skin folds

Unsound movement - specifically resulting from weak hind movement

Great Dane

Category 2

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose e.g. they turn in, or out, or both abnormalities are present New - 23/01/2020

Nervous temperament New - 23/01/2020

Unsound movement New - 23/01/2020

Weak hindquarters New - 23/01/2020

Leonberger

Category 2

Unsound movement New - 23/01/2020

Weak hindquarters New - 23/01/2020

Weak pasterns New - 23/01/2020

Mastiff

Category 3

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Excessive skin on head or body

Excessive wrinkle

Hair loss or scarring from previous dermatitis

Significantly overweight

Signs of dermatitis in skin folds

Unsound movement

Weak hindquarters

Neapolitan Mastiff

Category 3

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Excessive dewlap

Excessive skin on head or body

Hair loss or scarring from previous dermatitis

Significantly overweight

Signs of dermatitis in skin folds

Unsound movement - specifically resulting from weak hind movement

Newfoundland

Category 2

Conformational defects of the upper and lower eyelids (loose eye lids)

Excessive or incorrect coat

New - 23/01/2020

Rottweiler

Category 2

Conformational defects of the upper and lower eyelids

New - 23/01/2020

Excessive hind angulation

New - 23/01/2020

Excessively short muzzle

New - 23/01/2020

Sickle hock

New - 23/01/2020

Siberian Husky

Category 2

Significantly overweight

Significantly underweight

St. Bernard

Category 3

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Incorrect bite

Incorrect dentition

Unsound movement

Weak hindquarters
